

This is a non-calculator test (50 minutes).

The following marks are awarded for each question.

B	Unconditional accuracy mark.
M	Method mark – the correct method must be shown but there may be an arithmetic error; the sight of the value given in brackets implies the award of the method mark.
A	Accuracy mark – unless the question specifies that working <b>must</b> be shown then the sight of the correct answer implies the award of full marks (unless the answer clearly comes from incorrect working).
C	Communication mark.
P	Process mark to show correct process for problem solving. Any other process of a similar standard to achieve an accurate result is acceptable to achieve this mark.
FT	Incorrect values may be <b>followed through</b> from one step to the next <b>provided</b> that the correct method is seen in each step and the only errors are arithmetic. This is shown in mark schemes by putting a number in inverted commas.
OE	Or equivalent answer mark.


**NOTE:** For all probability answers, only accept fractions or decimals or percentages and no other notation such as 2 in 3, 2 out of 3, 2:3, etc.

**NOTE:** Fractions do not need to be cancelled but it is acceptable if they are.

Q	Answer	Mark	Comment
1a	<p>A Venn diagram with two overlapping circles. The left circle is labeled 'Swim' and contains the number 14. The right circle is labeled 'Badminton' and contains the number 8. The overlapping region between the two circles contains the number 12. Below the circles, the number 6 is written, representing the number of people in neither activity.</p>	B3	for all four values correct; B2 for two or three correct; B1 for one correct
1b	$\frac{6}{40}$	B1	FT for $\frac{6}{40}$ OE

3	Pete, with reason	C1	Pete, and reason such as 'he spins the spinner more times'
5	$\frac{3}{10}$	M1	for $\frac{3}{2+3+5}$ or 3 in 10, 3 out of 10,
		A1	3:10
7a		B2	B1 for three or four correct
7b	$\frac{8}{30}$ OE	M1	for $\frac{k}{30}, k < 30$
		A1	for "8" OE

9	0.51	M1	for $P(T) = 0.69 - 0.2 (= 0.49)$																														
		A1																															
11	$\frac{7}{20}$	M1	for listing outcomes in a table or listing the outcomes that are multiples of 3 <table border="1" data-bbox="890 1624 1161 1861"> <tr> <td></td> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> </tr> <tr> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> </tr> <tr> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> </tr> <tr> <td>3</td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> <td>8</td> </tr> <tr> <td>4</td> <td>5</td> <td>6</td> <td>7</td> <td>8</td> <td>9</td> </tr> </table>		1	2	3	4	5	1	2	3	4	5	6	2	3	4	5	6	7	3	4	5	6	7	8	4	5	6	7	8	9
			1	2	3	4	5																										
		1	2	3	4	5	6																										
2	3	4	5	6	7																												
3	4	5	6	7	8																												
4	5	6	7	8	9																												
M1	for $\frac{k}{20}, k < 20$ or $\frac{7}{c}, c > 7$																																
A1																																	

<p><b>13a</b></p>	<p style="text-align: center;"><b>first bead    second bead</b></p> 	<p>B2</p>	<p>B1 for <math>\frac{3}{10}</math> in a correct position</p>
<p><b>13b</b></p>	<p><math>\frac{42}{100}</math></p>	<p>P1</p>	<p>for <math>\frac{7}{10} \times \frac{3}{10}</math> or <math>\frac{3}{10} \times \frac{7}{10}</math> OE</p>
		<p>P1</p>	<p>for <math>\frac{7}{10} \times \frac{3}{10} + \frac{3}{10} \times \frac{7}{10}</math> OE</p>
		<p>A1</p>	

<p><b>15</b></p>	<p><math>\frac{132}{210}</math></p>	<p>P1</p>	<p>for evidence of 14 used as a denominator</p>
		<p>P1</p>	<p>for one correct product, e.g.  <math>\frac{8}{15} \times \frac{7}{14}, \frac{2}{15} \times \frac{1}{14}, \frac{5}{15} \times \frac{4}{14}</math> OE,  <math>\frac{8}{15} \times \frac{1}{14}</math>, etc.</p>
		<p>P1</p>	<p>for a fully correct process, e.g.  <math>1 - \left( \frac{8}{15} \times \frac{7}{14}, \frac{2}{15} \times \frac{1}{14}, \frac{5}{15} \times \frac{4}{14} \right)</math></p>
		<p>A1</p>	

Question	Topic	Step	Mark
1a	Use Venn diagrams to calculate simple probabilities	7th	3
1b	Use Venn diagrams to calculate simple probabilities	7th	1
3	Find the probability of an event happening using relative frequency	5th	1
5	Solve a ratio problem in context	8th	2
7a	Draw a frequency tree based on given information and use this to find probability and expected outcome	6th	2
7b	Draw a frequency tree based on given information and use this to find probability and expected outcome	6th	2
9	Understand and use $P(A \text{ and } B) = P(A) \times P(B)$ for independent events	7th	2
11	Understand and use $P(A \text{ and } B) = P(A) \times P(B)$ for independent events	7th	3
13a	Complete a probability tree diagram for independent events	6th	2
13b	Complete a probability tree diagram for independent events	6th	3
15	Understand selection with or without replacement	10th	4

